

10688297

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:sssptal623hrr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	JAN 27	Source of Registration (SR) information in REGISTRY updated and searchable
NEWS	4	JAN 27	A new search aid, the Company Name Thesaurus, available in CA/CAPLUS
NEWS	5	FEB 05	German (DE) application and patent publication number format changes
NEWS	6	MAR 03	MEDLINE and LMEADLINE reloaded
NEWS	7	MAR 03	MEDLINE file segment of TOXCENTER reloaded
NEWS	8	MAR 03	FRANCEPAT now available on STN
NEWS	9	MAR 29	Pharmaceutical Substances (PS) now available on STN
NEWS	10	MAR 29	WPIFV now available on STN
NEWS	11	MAR 29	New monthly current-awareness alert (SDI) frequency in RAPRA
NEWS	12	APR 26	PROMT: New display field available
NEWS	13	APR 26	IFIPAT/IFIUDB/IFICDB: New super search and display field available
NEWS	14	APR 26	LITALERT now available on STN
NEWS	15	APR 27	NLDB: New search and display fields available
NEWS	16	May 10	PROUSDDR now available on STN
NEWS	17	May 19	PROUSDDR: One FREE connect hour, per account, in both May and June 2004
NEWS	18	May 12	EXTEND option available in structure searching
NEWS	19	May 12	Polymer links for the POLYLINK command completed in REGISTRY
NEWS	20	May 17	FRFULL now available on STN
NEWS	21	May 27	STN User Update to be held June 7 and June 8 at the SLA 2004 Conference
NEWS	22	May 27	New UPM (Update Code Maximum) field for more efficient patent SDIs in CAPLUS
NEWS	23	May 27	CAPLUS super roles and document types searchable in REGISTRY
NEWS	24	May 27	Explore APOLLIT with free connect time in June 2004
NEWS EXPRESS			MARCH 31 CURRENT WINDOWS VERSION IS V7.00A, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

10688297

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 16:05:41 ON 12 JUN 2004

=> file regis

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 16:05:48 ON 12 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 11 JUN 2004 HIGHEST RN 692257-78-6

DICTIONARY FILE UPDATES: 11 JUN 2004 HIGHEST RN 692257-78-6

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>


Uploading C:\STNEXP4\QUERIES\10688297.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



10688297

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 16:06:15 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 588 TO ITERATE

100.0% PROCESSED 588 ITERATIONS

36 ANSWERS

SEARCH TIME: 00.00.01

L2 36 SEA SSS FUL L1

=> d 1-36 l2

L2 ANSWER 1 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN

RN 335627-14-0 REGISTRY

CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-(1-methylethoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C25 H35 N3 O5


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN

RN 253201-89-7 REGISTRY

CN Butanediamide, 2-(1,1-dimethylethoxy)-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-3-(2-naphthalenylmethyl)-N1-(phenylmethoxy)-, (2S,3R)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C33 H43 N3 O5

SR CA


LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)

10688297

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-70-6 REGISTRY  
CN Butanediamide, 2-(benzo[b]thien-5-ylmethyl)-N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-3-propoxy-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C23 H33 N3 O5 S  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-61-5 REGISTRY  
CN Butanediamide, 2-[(3,4-dihydro-2H-1-benzopyran-3-yl)methyl]-N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-3-propoxy-, (2R,3S)- (9CI) (CA INDEX NAME)

10688297

FS STEREOSEARCH  
MF C24 H37 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 5 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-57-9 REGISTRY  
CN Butanediamide, 2-[(2,3-dihydro-1H-inden-2-yl)methyl]-N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-3-propoxy-, (2R,3S)- (9CI)  
(CA INDEX NAME)  
FS STEREOSEARCH  
MF C24 H37 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10688297

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-56-8 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-3-propoxy-2-[(6,7,8,9-tetrahydro-5H-benzocyclohepten-7-yl)methyl]-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H41 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-55-7 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-(2-thiazolylmethoxy)-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H32 N4 O5 S  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 8 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-54-6 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methyamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-(1,2,4-oxadiazol-3-ylmethoxy)-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H31 N5 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 9 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-41-1 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methyamino)carbonyl]propyl]-N4-

10688297

hydroxy-3-propoxy-2-[[[(2S)-1,2,3,4-tetrahydro-2-naphthalenyl]methyl]-,  
(2R,3S)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C25 H39 N3 O5


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 10 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN

RN 253201-32-0 REGISTRY

CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-  
hydroxy-2-[2-(4-methyl-1-piperazinyl)-2-oxoethoxy]-3-(2-  
naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C29 H41 N5 O6


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.





10688297


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 11 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-31-9 REGISTRY  
CN Butanediamide, N1-[(1S)-5-(dimethylamino)-2,2-dimethyl-1-  
[(methylamino)carbonyl]pentyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-  
propoxy-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C29 H44 N4 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 12 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-30-8 REGISTRY  
CN Butanediamide, N4-[(1S)-5-(dimethylamino)-1-[(methylamino)carbonyl]pentyl]-  
2-ethoxy-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX  
NAME)  
FS STEREOSEARCH  
MF C26 H38 N4 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 13 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-29-5 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-[2-(4-morpholinyl)-2-oxoethoxy]-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C28 H38 N4 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 14 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-28-4 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-(2-hydroxy-2-phenylethoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)

10688297

FS STEREOSEARCH  
MF C30 H37 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 15 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-26-2 REGISTRY  
CN Butanediolamide, 2-(benzo[b]thien-2-ylmethyl)-N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-3-ethoxy-N4-hydroxy-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C22 H31 N3 O5 S  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 16 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-20-6 REGISTRY  
CN Butanediamide, 2-[2-(dimethylamino)ethoxy]-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H38 N4 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 17 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-19-3 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-2-[2-(2,5-dioxo-1-pyrrolidinyl)ethoxy]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH

10688297

MF C28 H36 N4 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 18 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-18-2 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-(2-hydroxyethoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C24 H33 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.




10688297

**\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\***

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 19 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-17-1 REGISTRY  
CN Butanediamide, 2-[2-(acetyloxy)ethoxy]-N4-[(1S)-2,2-dimethyl-1-  
[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-,  
(2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H35 N3 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.




**\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\***

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 20 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-16-0 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-  
hydroxy-2-(2-hydroxypropoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI)  
(CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H35 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.

10688297



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 21 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN

RN 253201-15-9 REGISTRY

CN Butanediamide, 2-[2-(acetyloxy)propoxy]-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C27 H37 N3 O7


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10688297

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 22 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-14-8 REGISTRY  
CN Butanediamide, 2-[3-(dimethylamino)propoxy]-N4-[(1S)-2,2-dimethyl-1-  
[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-,  
(2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C27 H40 N4 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 23 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-13-7 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-  
hydroxy-2-(3-hydroxypropoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI)  
(CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H35 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES  
(Uses)

Absolute stereochemistry.



10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 24 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-12-6 REGISTRY  
CN Butanediamide, 2-[3-(acetyloxy)propoxy]-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C27 H37 N3 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 25 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-11-5 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-(2-oxo-2-phenylethoxy)-, (2R,3S)- (9CI) (CA INDEX NAME)

10688297

FS STEREOSEARCH  
MF C30 H35 N3 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 26 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-10-4 REGISTRY  
CN Butanediolamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-[2-[(2-hydroxyethyl)amino]-2-oxoethoxy]-3-(2-naphthalenylmethyl)-, (2S,3R)-(9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H36 N4 O7  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 27 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-09-1 REGISTRY  
CN Butanediamide, 2-[2-[[2-(acetyloxy)ethyl]amino]-2-oxoethoxy]-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C28 H38 N4 O8  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




10688297

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 28 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-08-0 REGISTRY  
CN Butanediamide, 2-[2-[[2-(dimethylamino)ethyl]amino]-2-oxoethoxy]-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C28 H41 N5 O6  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 29 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-06-8 REGISTRY  
CN Butanediamide, 2-(1,1-dimethylethoxy)-N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H37 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 30 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-04-6 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-(2-methylpropoxy)-3-(2-naphthalenylmethyl)-, (2S,3R)-(9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C26 H37 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 31 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-02-4 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-(1-oxopropoxy)-, (2R,3S)-(9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H33 N3 O6

10688297


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 32 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN

RN 253201-01-3 REGISTRY

CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-N1-hydroxy-2-methoxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C23 H31 N3 O5


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

10688297

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 33 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253201-00-2 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-2-ethoxy-N1-hydroxy-3-(3-quinolinylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C23 H32 N4 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA CAplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 34 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253200-95-2 REGISTRY  
CN Butanediamide, N4-[(1S)-2,2-dimethyl-1-[(methylamino)carbonyl]propyl]-2-ethoxy-N1-hydroxy-3-(2-naphthalenylmethyl)-, (2S,3R)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C24 H33 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL  
DT.CA CAplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.

10688297




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 35 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253200-75-8 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methyamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-propoxy-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H35 N3 O5  
SR CA  
LC STN Files: CA, CAPLUS, IMSDRUGNEWS, IMSRESEARCH, TOXCENTER, USPATFULL  
DT.CA Caplus document type: Patent  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 36 OF 36 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 253200-74-7 REGISTRY  
CN Butanediamide, N1-[(1S)-2,2-dimethyl-1-[(methyamino)carbonyl]propyl]-N4-hydroxy-2-(2-naphthalenylmethyl)-3-(2-propenyloxy)-, (2R,3S)- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C25 H33 N3 O5



10688297


SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

219.56

219.77

FILE 'CAPLUS' ENTERED AT 16:06:55 ON 12 JUN 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Jun 2004 VOL 140 ISS 25

FILE LAST UPDATED: 11 Jun 2004 (20040611/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l2 full

L3 2 L2

=> d 1-2 bib abs l3

10688297

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN  
 AN 2001:319862 CAPLUS  
 DN 134:326768  
 TI Preparation of hydroxamic acid derivative as inhibitor of the formation of soluble human CD23  
 IN Faller, Andrew; Ward, John Gerard  
 PA SmithKline Beecham P.L.C., UK  
 SO PCT Int. Appl., 27 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2001030747	A1	20010503	WO 2000-EP10649	20001025
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	EP 1224164	A1	20020724	EP 2000-975954	20001025
	R:				
	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
	JP 2003512450	T2	20030402	JP 2001-533102	20001025
	BR 2000015082	A	20030415	BR 2000-15082	20001025
	AU 766072	B2	20031009	AU 2001-13895	20001025
	NZ 518566	A	20040227	NZ 2000-518566	20001025
	ZA 2002003255	A	20030320	ZA 2002-3255	20020424
	NO 2002001965	A	20020613	NO 2002-1965	20020425
	US 6673965	B1	20040106	US 2002-111209	20020716
	US 2004077727	A1	20040422	US 2003-678679	20031003
PRAI	GB 1999-25470	A	19991027		
	WO 2000-EP10649	W	20001025		
	US 2002-111209	A3	20020716		

OS MARPAT 134:326768  
 AB Amino acid derivative HONHCOCH(OR)CHR1CONHCHR2CONH(O)nR3 [R = i-Pr; n = 0; R1 = naphthylmethyl; R2 = t-Bu; R3 = Me] was prepared for treatment of disorders mediated by s-CD23. Thus, N'-[4-(hydroxyamino)-3S-isopropoxy-2R-(2-naphthylmethyl)succinyl]-S-tert-leucine methylamide was prepared from tert-Bu (3R)-carboxy-4-(2-naphthyl)butyrate by conversion to the propiolactone derivative using lithium bis(trimethylsilyl)amide and N-iodosuccinimide, coupling with (S)-tert-leucine benzyl ester, isopropylation, catalytic hydrogenolysis, methylamidation, ester cleavage, and hydroxylamidation. The product was assayed for ability to release soluble CD23, to inhibit collagenase and release of TNF $\alpha$  from human monocytes stimulated by lipopolysaccharide (LPS) endotoxin. The i.v. pharmacokinetic parameters and oral bioavailability were also studied.

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2004 ACS on STN  
 AN 1999:819335 CAPLUS  
 DN 132:64523  
 TI Preparation of hydroxamic acid derivatives as inhibitors of the production of human CD23 and the release of TNF  
 IN Faller, Andrew; MacPherson, David Timothy; Milner, Peter Henry; Mistry, Jayashree; Ward, John Gerard

10688297

PA Smithkline Beecham PLC, UK  
 SO PCT Int. Appl., 103 pp.  
 CODEN: PIXXD2  
 DT Patent  
 LA English  
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 9967201	A1	19991229	WO 1999-GB1954	19990622
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2335513	AA	19991229	CA 1999-2335513	19990622
AU 9945195	A1	20000110	AU 1999-45195	19990622
AU 744801	B2	20020307		
BR 9911423	A	20010313	BR 1999-11423	19990622
EP 1089963	A1	20010411	EP 1999-928068	19990622
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO				
TR 200003877	T2	20010621	TR 2000-200003877	19990622
JP 2002518470	T2	20020625	JP 2000-555856	19990622
NZ 508229	A	20031219	NZ 1999-508229	19990622
ZA 2000007254	A	20020207	ZA 2000-7254	20001207
NO 2000006349	A	20001213	NO 2000-6349	20001213
BG 105154	A	20010831	BG 2001-105154	20010115
US 6458779	B1	20021001	US 2001-701946	20010405
PRAI GB 1998-13451	A	19980622		
WO 1999-GB1954	W	19990622		
OS MARPAT 132:64523				
AB Amino acid derivs. HONHCOCH(OR)CHR1CONHCHR2CONH(O)nR3 [R = Me substituted by one to three groups selected from alkyl, aryl, alkenyl, and alkynyl; n = 0 or 1; R1 = arylmethyl or heterocyclylmethyl; R2 = alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl; R3 = H, alkyl, alkenyl, alkynyl, or aryl] were prepared for treatment of disorders mediated by s-CD23 or TNF. Thus, N'-[3S-(allyloxy)-4-(hydroxyamino)-2R-(2-naphthylmethyl)succinyl]-S-tert-leucinamide was prepared from tert-Bu (3R)-carboxy-4-(2-naphthyl)butyrate by conversion to the propiolactone derivative using lithium bis(trimethylsilyl)amide and N-iodosuccinimide, coupling with (S)-tert-leucinamide, allylation, and conversion the hydroxylamide.				
RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT				